



## SEQUENCE LISTING

RECEIVED

AUG 22 2000

TECH CENTER 1600/2900

<110> Van Venrooij, Waltherus Jacobus Wilhelmus  
Schellekens, Gerardus Antonius  
Raats, Jozef Maria Hendrik  
Hoet, Rene Michael Antonius  
Stichting Scheikundig Onderzoek Nederland  
Stichting voor de Technische Wetenschappen

<120> PEPTIDE DERIVED FROM AN ANTIGEN RECOGNIZED BY  
AUTOANTIBODIES FROM PATIENTS WITH RHEUMATOID ARTHRITIS,  
ANTIBODY DIRECTED AGAINST SAID PEPTIDE, A COMBINATORIAL  
ANTIGEN, AND A METHOD OF DETECTING AUTO-IM

<130> 09/308,150 -- PCT/NL97/00624

<140> 09/308,150

<141> 1999-09-30

<150> PCT/NL97/00624

<151> 1997-11-14

<150> NL 1004539

<151> 1996-11-15

<160> 16

<170> PatentIn Ver. 2.1

<210> 1

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>

<223> Xaa is citrulline

<400> 1

Ser His Gln Glu Ser Thr Xaa Gly Arg Ser Arg Gly Arg Ser Gly Arg

1

5

10

15

Ser Gly Ser

<210> 2  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>  
<223> Xaa is citrulline

<400> 2  
Ser His Gln Glu Ser Thr Arg Gly Xaa Ser Arg Gly Arg Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 3  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>  
<223> Xaa is citrulline

<400> 3  
Ser His Gln Glu Ser Thr Arg Gly Arg Ser Xaa Gly Arg Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 4  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Derived from

known cDNA sequences of human profilaggrin

<220>

<223> Xaa is citrulline

<400> 4

Ser His Gln Glu Ser Thr Arg Gly Arg Ser Arg Gly Xaa Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 5

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>

<223> Xaa is citrulline

<400> 5

Ser His Gln Glu Ser Thr Arg Gly Arg Ser Arg Gly Arg Ser Gly Xaa  
1 5 10 15

Ser Gly Ser

<210> 6

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>

<223> Xaa is citrulline

<400> 6

Ser His Gln Glu Ser Thr Xaa Gly Xaa Ser Arg Gly Arg Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 7

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>

<223> Xaa is citrulline

<400> 7

Ser His Gln Glu Ser Thr Xaa Gly Arg Ser Xaa Gly Arg Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 8

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>

<223> Xaa is citrulline

<400> 8

Ser His Gln Glu Ser Thr Xaa Gly Arg Ser Arg Gly Xaa Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 9

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>

<223> Xaa is citrulline

<400> 9

Ser	His	Gln	Glu	Ser	Thr	Xaa	Gly	Arg	Ser	Arg	Gly	Arg	Ser	Gly	Xaa
1				5				10						15	

Ser Gly Ser

<210> 10

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>

<223> Xaa is citrulline

<220>

<221> DISULFID

<222> (3) .. (16)

<400> 10

His	Gln	Cys	His	Gln	Glu	Ser	Thr	Xaa	Gly	Arg	Ser	Arg	Gly	Arg	Cys
1				5					10					15	

Gly Arg Ser Gly Ser  
20

<210> 11

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from

known cDNA sequences of human profilaggrin

<400> 11

Ser His Gln Glu Ser Thr Arg Gly Arg Ser Arg Gly Arg Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 12

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<400> 12

Ser His Gln Glu Ser Thr Ala Gly Arg Ser Arg Gly Arg Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 13

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<400> 13

Ser His Gln Glu Ser Thr Glu Gly Arg Ser Arg Gly Arg Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 14

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<400> 14

Ser His Gln Glu Ser Thr Gln Gly Arg Ser Arg Gly Arg Ser Gly Arg  
1 5 10 15

Ser Gly Ser

<210> 15

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<220>

<223> Xaa is citrulline

<400> 15

Thr Gly Pro Ser Thr Arg Gly Arg Gln Gly Ser Xaa His Glu  
1 5 10

<210> 16

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Derived from  
known cDNA sequences of human profilaggrin

<400> 16

Glu Ser Ser His Gly Trp Thr Gly Pro Ser Thr Arg Gly Arg Gln Gly  
1 5 10 15

Ser Arg His Glu  
20